



नेपाल मगर समाज सेवा तथा सूचना केन्द्र (Nepal Magar Society Service & Information Centre)

मिक-नेपाल, सिस्ने गाउँपालिका- ६, रुकुम (पूर्वी भाग)

प.सं. : २०८२/०८३

मिति : २०८२/०६/१९

च.नं. :

श्री जो जससँग सम्बन्धित छ ।

बिषय: कोटेशन माग गरिएको सम्बन्धमा ।

प्रस्तुत विषयमा यस नेपाल मगर समाज सेवा तथा सूचना केन्द्र (मिक नेपाल) सिस्ने गाउँपालिका वडा नं. ६, रुकुम (पूर्वी भाग) र फेयरमेड फाउण्डेशन नेपालको साझेदारीतामा रुकुम (पूर्वी भाग) जिल्लाका ३ वटै स्थानीय तहमा सञ्चालित **सम्बोधन परियोजना** अन्तर्गत स्वास्थ्य संस्थाहरूको न्यूनतम सेवा मापदण्ड अड्क र सुधारको लागि आवश्यक पर्ने सामग्रीहरू खरिद गर्नुपर्ने भएकोले तपशीलमा उल्लेखित अनुसारका कागजातहरू सहित ईच्छुक सर्जिकल सप्लायर्सहरूले यो सूचना प्रकाशित गरिएको मितिले ७ दिन भित्र गुणस्तरीय दरभाउ सहित कोटेशन यस संस्थामा पेश गर्न हुन यसै सूचना मार्फत सम्बन्धित सबैमा जानकारी गराइन्छ । सूचनाको अवधीमा अन्तिम दिन सार्वजनिक बिदा पर्ने गणमा सो दिनको भोली पल्ट पेश गर्नुपर्ने छ, भने जिल्ला बाहिरका आपूर्तिकर्ताहरूले ईमेल ठेगाना micnepal60@gmail.com मार्फत पेश गर्न सकिने छ । खरिद गरिने सामग्रीहरूको सूची कोटेशन माग फाराममा उल्लेख गरिएको छ । कोटेशन दरभाउ पत्र पेश गर्दा यस संस्थाले तयार पारेको कोटेशन फाराम पेश गर्नुपर्ने छ । कोटेशन फाराम संस्थाको कार्यालयबाट उपलब्ध गराइनुका साथै संस्थाको वेबसाइट www.micnepal.org.np बाट पनि डाउनलोड गर्न सकिने छ । यो सूचना अवधीमा संस्थाको कार्यालय समय भित्र कार्यालय सँग समन्वय गरी कोटेशन दरभाउ पत्र पेश गर्नु हुन समेत जानकारी गराइन्छ ।

तपशील:

संलग्न गर्नुपर्ने कागजातहरू:

१. उद्योग तथा सप्लायर्स दर्ता प्रमाण पत्रको प्रतिलिपी थान ----- १
२. स्थायी लेखा नम्बर तथा मूल्य अभिवृद्धि कर प्रमाण पत्रको प्रतिलिपी थान ----- १
३. आ.व. २०८१/०८२ को कर चुक्ता प्रमाण पत्रको प्रतिलिपी थान ----- १
४. प्रोप्राईटरको नेपाली नागरिकताको प्रमाण पत्रको प्रतिलिपी थान ----- १

नोट: कोटेशन पेश गर्दा दरभाउ रकम VAT सहित वा रहित सोबारे स्पष्ट रुपमा खुलाउनुपर्ने छ । यदि नखुलाएमा VAT सहितको मूल्य मानिने छ । रित नपुगी आएका कोटेशन दरभाउ पत्रहरूलाई मूल्याङ्कनमा समावेश गराइने छैन । छनौट भएको सप्लायर्सबाट सामग्रीहरू खरिद गर्दा सङ्ख्यामा थपघट गर्न सकिने छ । सामग्रीहरूको मूल्य दर तुलणान्मक रुपमा सस्तो र सामग्रीहरू यस संस्थाको कार्यालय सिस्ने गाउँपालिका-६, रुकुम (पूर्वी भाग) सम्म निशुल्क ढुवानी उपलब्ध गराउने सप्लायर्सहरूलाई प्राथमिकतामा दिइने छ ।

.....

मुकुन्द पुन

सदस्य-खरिद उप-समिति



नेपाल मगर समाज सेवा तथा सूचना केन्द्र
(Nepal Magar Society Service & Information Centre)

मिक-नेपाल, सिस्ने गाउँपालिका- ६, रुकुम (पूर्वी भाग)

कोटेशन दरभाउ फाराम

सप्लायर्सको नाम:				सप्लायर्सको छाप:		
ठेगाना:						
प्रोप्राईटर:						
स्थायी लेखा / मू.अ.क. नम्बर:						
सम्पर्क नम्बर:						
ईमेल ठेगाना:						
मिति:						
क्र.सं.	विवरण	स्पेशीफिकेशन	परिमाण	दर	आबश्यक सामग्री सङ्ख्या	जम्मा रकम
१	CUPBOARD without glass	Medical Cupboard with section-wise distribution and no Glass	1		4	
२	Perilight	Light illumination (lux) @0.5m : 30000 · Color temperature (k) : 4300 +- 500 · CRI (Ra) : >-93 · No of led : 1 · Temp. rise at the surgeon's head : <-1 · Highest height of head: 240 cm · Lowest height of lamp head : 50 cm	1		4	
३	Emergency Medicine Trail		1		1	
४	Medical Drum (Big & Small Size)		1 Pc		4 Pc	
५	Dustbin(Red, Green, Blue)	CAPACITY 30 LTR WITH LEAD	1 Set		3 Set	
६	Knee hammer		1		5	
७	Autoclave	23 ltr 2 valve	1		6	
८	Neonatal Resusitation Table		1		1	



नेपाल मगर समाज सेवा तथा सूचना केन्द्र
(Nepal Magar Society Service & Information Centre)

मिक-नेपाल, सिस्ने गाउँपालिका- ६, रुकुम (पूर्वी भाग)

९	Penguin suction	TRANSPARENT SILICONE , LATEX FREE & DURABLE	1		1	
१०	Digital Timer	ACCURACY 0.01 +- WEIGHT <100GM	1		2	
११	Suction Pipe		1		2	
१२	Foot Step	DOUBLE STEP & HOLE IN BASE	1		4	
१३	Makintos Rubber	Reuseable, waterproof protective sheet	1		1	
१४	Rubber Set		1		2	
१५	Room heater		1		2	
१६	Pillow		1		2	
१७	Stainless Steel bed pan(MO MO Pan)		1		2	
१८	Baby Warmer	1. General Description Microprocessor-based Infant Warmer with integrated LED Phototherapy Unit. Provides controlled Skin and Air Temperature monitoring and regulation. Designed for neonatal care in hospitals, maternity wards, and NICUs. 2. Heating System Overhead quartz/ceramic/infrared heating element. Fast warm-up time with uniform heat distribution. Heater head angle adjustable for optimum coverage. Manual and servo modes available. 3. Temperature Control Dual temperature control modes: - Skin Mode (servo-controlled	1		2	



नेपाल मगर समाज सेवा तथा सूचना केन्द्र (Nepal Magar Society Service & Information Centre)

मिक-नेपाल, सिस्ने गाउँपालिका- ६, रुकुम (पूर्वी भाग)

		via skin probe). - Air Mode (automatic air temperature regulation). Digital LED display for continuous monitoring of both skin and air temperature. High-sensitivity skin probe with safety features. Temperature setting range: 25°C – 39°C (adjustable). Accuracy: $\pm 0.1^\circ\text{C}$. 4. Safety Features Over-temperature protection with automatic heater cut-off. Audio-visual alarms for: - High temperature - Low temperature - Probe disconnection - Power failure Fail-safe system ensures uninterrupted neonatal safety. 5. LED Phototherapy Unit High-intensity LED-based phototherapy lamp mounted overhead. Wavelength: 450–470 nm (blue light spectrum) for effective jaundice treatment. Irradiance: $\geq 30 \mu\text{W}/\text{cm}^2/\text{nm}$ (adjustable). Energy efficient, low power consumption, and long life span (>20,000 hrs). No UV or IR radiation (safe for neonates). 6. Control & Display Bright digital LED display for temperature and system status. Microprocessor-based intelligent control. Built-in timer for phototherapy treatment monitoring. Separate indicator lights for modes and alarms. 7. Mobility & Structure Baby bed with transparent side panels for visibility. Size approx.: 70 cm ×				
--	--	---	--	--	--	--



नेपाल मगर समाज सेवा तथा सूचना केन्द्र
(Nepal Magar Society Service & Information Centre)

मिक-नेपाल, सिस्ने गाउँपालिका- ६, रुकुम (पूर्वी भाग)

		40 cm. Adjustable height stand with lockable castor wheels for mobility. Heater head and phototherapy unit adjustable in angle and height. 8. Power Supply 220–240 V AC, 50/60 Hz. Power consumption: ≤ 500 W. Backup provision for emergency power (optional with UPS). 9. Accessories (Standard Supply) 1 × Skin temperature probe. 1 × Air temperature probe. 1 × Baby bed with mattress. 1 × LED phototherapy lamp module. User manual & service manual.				
१९	Autoclave tape		1		100	
२०	Adult Resuscitation Kit		1		1	
२१	Stretcher	Frame: High-strength aluminum alloy (lightweight, rust-proof) • Fabric: Heavy-duty waterproof, fire-retardant, easy-to-clean PVC or nylon • Folding type: • 2-fold stretcher (folds once along the middle) – common in health posts • 4-fold also available (for smaller storage, field use) • Carrying capacity: ≥ 150 kg • Dimensions: • Open: approx. 185 × 50 × 20 cm • Folded: approx. 92 × 50 × 10 cm • Weight: ~7–9 kg (depending on material) • Handles: 4 strong handles with non-slip grip • Belts/Straps: Safety straps (at least 2 pcs) to secure the patient • Leg support: With/without fixed support	1		3	



नेपाल मगर समाज सेवा तथा सूचना केन्द्र (Nepal Magar Society Service & Information Centre)

मिक-नेपाल, सिस्ने गाउँपालिका- ६, रुकुम (पूर्वी भाग)

		legs (optional, depends on model)				
२२	Bed mattress With pillow		1		1	
२३	BP Set	SOFT M- SIZE CUFF (22-32CM) EASY TO READ SIZE 175*70*103 MM WEIGHT 462 GM	1		2	
२४	Delivery Bed	WITH STAND PAD FOR LEG SUPPORT, ATTACHED MATTRESS	1		2	
२५	Ampu bag(New Born)	Bag volume (neonate): 220 ml • Dimensions (neonate): 165 × 70 mm • Weight (neonate): 112 g • Pressure limitation: Infant/pediatric versions include built-in mechanism to prevent airway pressures above ~45 cm H ₂ O • Design: Ergonomic, lightweight, semi-transparent silicone; autoclavecompatible (excluding oxygen reservoir)	1		2	
२६	IV Stand	FIVE LEG SS IV STAND, FOUR HUK IN TOP, 3-5 KG CAN HOLD 4-6 FEET CAN ADJUSTABLE, EASILY FOLDABLE	1		3	
२७	Suction tube		1		100	
२८	Two in one weight machine(Digital)		1		1	
२०	Boot, Chasma, Plastic Apron		1 Set		1 Set	
३०	Patient Examination Bed		1		1	
३१	Wheel Chair	Manual wheelchair, foldable steel frame • Seat: 45–50 cm wide, canvas/rexine, washable	1		1	



नेपाल मगर समाज सेवा तथा सूचना केन्द्र (Nepal Magar Society Service & Information Centre)

मिक-नेपाल, सिस्ने गाउँपालिका- ६, रुकुम (पूर्वी भाग)

		• Wheels: Rear 22–24 inch with handrim, front 6–8 inch caster • Brakes: Manual brakes on both sides • Footrest & Armrest: Fixed/detachable, padded armrest • Capacity: Up to 100–120 kg • Weight: Approx. 15–20 kg • Standard: ISO 7176 compliant, durable & rust resistant				
३२	Emergency trolley	Normal instrument trolley with ms steel body, two shelves, four castor wheels and push handle.	1		1	
३३	KMC Table		1		1	
३४	Emergency light		1		2	
३५	Doppler	Type: Handheld portable fetal Doppler • Display: LCD / LED display with heart rate (BPM) • Probe frequency: 2.0 – 3.0 MHz (standard for obstetric use) • Heart rate range: 50 – 240 bpm • Accuracy: ± 2 bpm • Audio output: In-built loudspeaker + headphone jack • Battery: Rechargeable Li-ion / AA batteries (≥ 4 hrs continuous use) • Operating mode: Continuous wave Doppler • Sensitivity: Fetal heart sound detectable from ~ 12 weeks gestation • Weight: < 500 g (lightweight, portable) • Dimensions: Handheld size ($\sim 13 \times 8 \times 3$ cm) • Probe type: Detachable / built-in waterproof probe • Volume control: Adjustable • Safety: Ultrasound intensity < 20	1		1	



नेपाल मगर समाज सेवा तथा सूचना केन्द्र
(Nepal Magar Society Service & Information Centre)

मिक-नेपाल, सिस्ने गाउँपालिका- ६, रुकुम (पूर्वी भाग)

		mW/cm ² (meets IEC/EN standards)				
३६	Glucometer	MEASURING TIME : 5 SECOND MEASURING RANGE : 10-600 MG/DL NO-CODING TECHNOLOGY (AUTOCODING)	1		1	
३७	Delivery Set	It contains : cheattle forcep with jar, aretery forceps, Cord cutting scissors, sponge holding forcep, cord clamp, bowl, gallypot, rubber sheet, wrapper Rust proof and stain less steel	1		1	

संलग्न गर्नुपर्ने कागजातहरू:

१. उद्योग तथा सप्लायर्स दर्ता प्रमाण पत्रको प्रतिलिपी थान ----- १	२. स्थायी लेखा नम्बर र मूल्य अभिवृद्धि कर प्रमाण पत्रको प्रतिलिपी थान ----- १
३. आ.व. २०८१/०८२ को कर चुक्ता प्रमाण पत्रको प्रतिलिपी थान ----- १	४. प्रोप्राईटरको नेपाली नागरिकताको प्रमाण पत्रको प्रतिलिपी थान ----- १
५. संस्थाले उपलब्ध गराएको कोटेशन दरभाउ फाराम थान ----- १	